## BHUTAN POWER CORPORATION LIMITED

(An ISO 9001:2015, ISO 14001:2015 & OHSAS 18001:2007 Certified Company)

(Registered Office, Thimphu)

# PROCUREMENT SERVICES DEPARTMENT THIMPHU: BHUTAN



(Tender No. BPC/PSD/T&P/2020/12 dated September 19, 2020)

## BID DOCUMENT

**FOR** 

THE SUPPLY AND DELIVERY OF TOOLS, SAFETY EQUIPMENT, MEASURING EQUIPMENT AND COMMUNICATION EQUIPMENT



# तर्चिमार्ग्योगान्य जन्म पर्ह्या

## Bhutan Power Corporation Limited

(An ISO 9001:2015, ISO 14001:2015 & OHSAS 18001:2007 Certified Company)

Registered Office, Thimphu Procurement Services Department Thimphu: Bhutan



BPC/PSD/T&P/2020/12

September 19, 2020

#### **Invitation for Bids**

- 1. The *Procurement Services Department* invites sealed bids from eligible bidders for the Supply and Delivery of Tools, Safety Equipment, Measuring Equipment and Communication Equipment.
- 2. Interested eligible bidders may kindly visit the website <u>www.tender.bt</u> for vendor registration and to submit the bid online. The user manual for vendor registration and bidding process is available on the websites <u>www.tender.bt</u>
- 3. The bidders must submit the bid online from the website www.tender.bt before 14:30 Hours on 20th October, 2020 and will be opened at 15:00 Hours on 20th October, 2020.
- 4. Bidders must submit the bid security in the original form to PSD, Head Office, BPC Thimphu or RSD, BPC, Phuentsholing on or before 19<sup>th</sup> October, 2020 before the submission of bid online. The bid security amounting to Nu. 225,000 (Ngultrum Two Hundred Twenty Five Thousand) only should be submitted in favour of Director, FAS, BPC, Thimphu.
- 5. Procurement Services Department, Bhutan Power Corporation Ltd. shall not be responsible for any costs or expenses incurred by bidders in connection with the preparation or delivery of bids.

(General Manager)

#### Section I General Terms and conditions

Sl.		T		
No.				
1	Eligible Bidders:	dealer /Auth Royal be end In cas shall	rs/Supplier from outside Bhuta orizer dealers/Suppliers licensed Government of Bhutan (support closed).  se, if the bidder is an authorized of the bidder i	all manufacturer/Export House/authorizer an and to manufacturer/ Export House under the ministry of economic affairs of ing evidence to corroborate the claim must dealer/supplier, manufacturer authorization old submitted by authorized dealer/supplier all be rejected.
		a) Bio for the	lders are requested to read the ter e tender	ms and condition before creating quotation anual for bidding process before bidding in
Instruction to bidders  c) Bidders are requested to update the document (trade I certificate) if expired before creating quotation on-line.  d) Bidders are required to submit bid security on 19 <sup>th</sup> submit the ebid online before 14:30hours on 20 <sup>th</sup> Octosubmission on 20 <sup>th</sup> October, 2020 will not be accepted a The bid shall be opened on the same date at 15:00 hours		c) Bio	lders are requested to update the	document (trade license and tax clearance uotation on-line.
		nours on 20 <sup>th</sup> October 2020. Bid security not be accepted and bid shall be rejected.		
3	Consignee:	Chief	Manager, Regional Stores Division	on, BPC, Phuentsholing, Bhutan.
4	Scope of Work:	The contract includes the design, manufacture, supply, testing, insurance, an delivery, unloading and proper handing over the supplies to the Purchaser Warehouse at Phuentsholing/Pasakha, Bhutan.		
		Delive	ery time is as per the table given b	pelow:
		Lot	Description	Required arrival dates if goods or
_	Delivery			completion date for related services
5	Period:		Tools, Safety Equipment,	
		1	Measuring Equipment and Communication Equipment	100 days from the signing of Contract
			- 5 - Manual Control Equipment	
<del></del>		All the	e bidders are required to submit the	he sample for safety belt (Item No.1) on or
6	Sample	before	14:30 hours on 20th October, 20	020 to PSD, BPC, HQ, Thimphu or RSD,
J	Sample	Phuen	tsholing. If the samples are not su	bmitted as required that bid shall be treated
		as non	-responsive for that items (Item N	No. 1 Safety Belt)



7	Prices:	The rates should be DDP (Delivery duty paid), Mans BPC, Phuentsholing, Bhutan which is inclusive of inside and outside the purchaser's country. As per responsible for delivering the goods to the natimportation, including all costs and risks in be destination. This includes duties, taxes and customs used irrespective of the mode of transport".	f all the taxes and duties both inco-term 2010 – "The seller is med place in the country of ringing the goods to imports formalities. This term may be
		Notwithstanding any possible misinterpretation/an explicitly clarified that the offered prices shall b including but not limited to transportation, insura other costs for delivery of the materials to the purch delivery/destination.	e inclusive covering all costs nce, taxes and duties and any
		The bidder shall furnish, as part of its bid, bid denominated in Ngultrum or freely convertible curre Phuentsholing before 19th October, 2020. Bid securi 2020 will not be accepted and bid shall be rejected.	ency to PSD, Head office/RSD,
8	Bid Security	The amount and currency of the Bid Security are as	follows:
		Lot Description	Amount (Nu.)
		Lot No.1 Tools, Safety Equipment, Measuring Equipment and Communication Equipment	225,000.00
		a) The Bid Security shall be in one of the foll purchasers:	owing forms acceptable to the
		i) Unconditional bank guarantee issued by a acceptable to the Purchaser.	reputed Financial Institution
		ii) Banker's cheque/cash warrant iii) Demand draft.	
		iv) If the institution issuing the Bid Security fur located outside the Purchaser's country, the guaranteed by a correspondent financial instructional Purchaser's country to make it enforceable	Bid Security shall be counter
		b) The Bid Security shall be valid till Februar	
	***************************************	c) Any Bid not secured in accordance with C rejected by the Purchaser as non-responsive.	
		d) An unsuccessful bidder's bid security will fifteen (15) days after signing of the Contract e) The successful bidder's bid security will	et with the successful Bidder.
<u> </u>		furnishing the performance security.  f) The bid security may be forfeited:	
		i) If a bidder withdraws its Bid during the peri	od of bid validity specified by
		ii) If a bidder does not accept arithmetical corr	ections of its big privaces
		<ul> <li>i) If a bidder withdraws its Bid during the perithe bidder;</li> <li>ii) If a bidder does not accept arithmetical corr</li> <li>Page 2 of 8</li> </ul>	Thimphu: Bhutan
			BRITAN POWER Corporations

		iii) In the case of a successful bidder, if the bidder fails to sign the Contract or
		to furnish the performance security.
		Covid-19 Situation
		In case of covid-19 situation extends during the submission date of the tender, the bidder is requested to kindly submit the following
		i) Integrity Pact: signed copy of the integrity pact to be submitted. No need for legal stamp during the submission, but would be required to sign again during the contract signing time.
		ii) Bid Security (EMD): The EMD amount shall be deposited to BPC's BOB account no. 100902493, and submit the transition details along with other relevant documents during bid submission.
		The amount and currency of the bid security shall be as same as mentioned in Clause No. 8 (Bid Security)
9	Bid Validity:	The bid shall remain valid till <b>January 18, 2021</b> . A bid valid for a shorter period shall be rejected by the Purchaser as non-responsive. The bid form is attached.
10	Power of Attorney	The Bid shall be typed or written in indelible ink and shall be signed by the bidder or a person(s) duly authorized to sign on behalf of the bidder. Written power-of-attorney shall indicate such authorization and shall be attached to the Bid. The name and position held by each person signing must be typed or printed below the signature.
11	Taxes and Duties:	All the taxes and duties both inside and outside the purchaser's country shall be inclusive in the offer including Tax Deducted at Source (which will be deducted at source) as per the applicable rates prescribed by Department of Revenue and Customs, RGOB.
12	Payment:	Payment shall be made against the delivery of the good within 30 (Thirty) days after submission of an invoice or claim by the Supplier giving the full particulars of the equipment supplied.
13	Liquidated Damages:	LD damages after the contractual period shall be a sum equivalent to one (1) percent per week on prorate basis of delivered price of the delayed goods or unperformed services or each week or part thereof of delay until actual delivery of performance, up to a maximum of ten (10) percent of the TOTAL CONTRACT AMOUNT (Amount indicated in the Contract Agreement).
14	Performance	Within 15 (Fifteen) working days of the receipt of notification of award of contract, the successful bidder shall furnish the performance security, in accordance with the Conditions of Contract.
14	Security:	The Performance Security @10% of the supply contract value shall be furnished by the successful bidder in one of the following forms:
		Page 3 of 8  Page 3 of 8  Thimphu: Bhutan
		Thimphu: Bhutan

		Unconditional bank guarantee issued by the reputed Financial Institution in the form provided for in Section VIII, Contract Forms or another form acceptable to the Purchaser; or
		Banker's Cheque/Cash Warrant, or
		Demand Draft.
		If the institution issuing the Performance Security furnished by the Bidder is located outside the Purchaser's country, the Performance Security shall be counter guaranteed by a correspondent Financial Institutions located in the Purchaser's country to make it enforceable.
		Failure by the successful Bidder to submit the above-mentioned Performance Security shall constitute sufficient grounds for the annulment of the award and forfeiture of the Bid Security. In that event the Purchaser may award the Contract to the next lowest evaluated Bidder whose offer is substantially responsive and is determined by the Purchaser to be qualified to perform the Contract satisfactorily. Such a failure shall be considered as default and all relevant clauses shall apply.
15	Force Majeure:	In the event that the Supplier or any of its subcontractors or the Purchaser is delayed in performing any of their respective obligations under the Contract, and such delay is caused by Force Majeure, including but not limited to war, civil insurrection, fires, floods, epidemics, earthquakes, quarantine restrictions and freight embargoes, such delay may be excused and the period of such delay may be added to the time of performance of the obligation delayed. If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such condition and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
16	Warranty:	The supplier warrants to the purchaser that the goods supplied under the contract will comply strictly with contract shall be first class in every particular case and shall be free from defects. The supplier further warrants to the purchaser that the material provided by the supplier will be new and fit for their intended purposes. This Warranty shall remain valid for twelve (12) months after the Goods, or any portion thereof, as the case may be, have been delivered and commissioned. As a proof of performance warranty, the Purchaser will not release the 10% performance security for a period of not exceeding twelve (12) months after the complete delivery of the Goods.
17	Termination for	The purchaser may, without any prejudice to any other remedy for breach of
	default:	Contract, by written notice of default sent to the supplier, terminate the configuration in Page 4 of 8  Page 4 of 8  Thimphu: Bhutan
		Page 4 of 8  Thimphu: Bhutan  Thimphu: Bhutan  Outer Corporations Life  The state of the state o
		Tower Corporations

	Dispute Resolution:	whole or part  a) If the supplier fails to deliver any or all within the time the Contract, or any extension thereof granted by the point the supplier fails to perform any other obligation(s)  c) If the supplier fails to perform any other obligation(s)  Subject to above Clause, when the Contract is terrederive Purchaser shall forfeit the Performance Security and of price liquidated damages mentioned above, of the deather goods accepted by the Purchaser.  The Purchaser and the Supplier shall make every effort direct informal negotiation any disagreement or dispute under or in connection with the Contract/Purchase. If, after the commencement of such informal negotiations, the Purchaser and the Supplier shall make the commencement of such informal negotiations, the Purchase and the Supplier shall make the commencement of such informal negotiations, the Purchase and the Supplier shall make the commencement of such informal negotiations, the Purchase and the Supplier shall make the commencement of such informal negotiations, the Purchase and the Supplier shall make the commencement of such informal negotiations, the Purchase and the Supplier shall make the commencement of such informal negotiations, the Purchase and the Supplier shall make the commencement of such informal negotiations, the Purchase and the Supplier shall make the commencement of such informal negotiations, the Purchase and the Supplier shall make the commencement of such informal negotiations, the Purchase and the Supplier shall make the commencement of such informal negotiations, the Purchase and the Supplier shall make the commencement of such informal negotiations, the Purchase and the Supplier shall make the commencement of such informal negotiations, the Purchase and the Supplier shall make the commencement of such informal negotiations, the Purchase and the Supplier shall make the commencement of such informal negotiations.	purchaser or under the contract. under the Contract minated for default, the deduct from the contract elayed delivered price of to resolve amicably by a arising between them	
		c) If the supplier fails to perform any other obligation(s)  Subject to above Clause, when the Contract is terr Purchaser shall forfeit the Performance Security and of price liquidated damages mentioned above, of the de the goods accepted by the Purchaser.  The Purchaser and the Supplier shall make every effort direct informal negotiation any disagreement or dispute under or in connection with the Contract/Purchase. If, aft	under the Contract minated for default, the deduct from the contract elayed delivered price of to resolve amicably by a arising between them	
		Subject to above Clause, when the Contract is terr Purchaser shall forfeit the Performance Security and oprice liquidated damages mentioned above, of the de the goods accepted by the Purchaser.  The Purchaser and the Supplier shall make every effort direct informal negotiation any disagreement or dispute under or in connection with the Contract/Purchase. If, after the purchase of the contract of	minated for default, the deduct from the contract clayed delivered price of to resolve amicably by a arising between them	
		Purchaser shall forfeit the Performance Security and of price liquidated damages mentioned above, of the de the goods accepted by the Purchaser.  The Purchaser and the Supplier shall make every effort direct informal negotiation any disagreement or dispute under or in connection with the Contract/Purchase. If, after the process of the purchase of t	deduct from the contract elayed delivered price of to resolve amicably by e arising between them	
		direct informal negotiation any disagreement or dispute under or in connection with the Contract/Purchase. If, aft	e arising between them	
10	Paralution	have been made to made to a surface to the things.	rchaser and the Supplier	
18	resolution;	have been unable to resolve amicably the dispute, the dispute		
		for resolution by arbitration. The arbitration shall be carried by relevant Acts in Phyton. The cost of subitration along		
-		set by relevant Acts in Bhutan. The cost of arbitration shaparties. If the parties do not agree to the decision of arbitration arbitration of arbitration are to the decision of arbitration of arbitration are to the decision are to the decision of arbitration are to the decision of arbitration are to the decision of arbitration are to the decision are to the d		
İ		be referred to proper court in Bhutan for adjudication and		
		The performance of the vendor shall be assessed as per the		
		Vendor Performance Management System available		
	Vendor	(www.bpc.bt) for the purpose of determining the eligibility in participating in		
	Performance	future tenders.		
	Management System	The VPMS Acceptance form is provided. The bidders are required to sign VPMS		
	(VPMS):	Acceptance form agreeing to applicability of VPMS and b		
	( , _ 1, _ 2),	In case if the VPMS is not signed, the bid shall be liable for		
		TI G II		
20	Tudouid D	The Supplier as a condition of admission to eligibility, ex		
20	Integrity Pact:	bids an Integrity Pact Statement in the form provided. Fr	•	
		executed Integrity Pact Statement shall result in rejection		
		Manufacturer's Authorization (MA) is required for this ite <b>Lot Description</b>	em. Remarks	
		•	Kemarks	
	3.5	Lot No.1 Tools, Safety Equipment, Measuring	YES	
<i>,</i> , , , , , , , , , , , , , , , , , ,	Manufacturer's Authorization	Equipment and Communication Equipment	120	
		a) The bid for the item(s) shall be rejected if the Manufo is not submitted for which the Manufacturer's Author	acturer's Authorization rization is required.	
			ant Services O	



		b) The Bidders are to mention the brand and original schedule and submit the Manufacturer's Authoriz	
		c) The restricted brand/preferred brand for tools measuring equipment are mentioned in the price so quote accordingly. No alternative/substitute branches restricted brand and shall be considered as non-rebid is submitted by the authorized dealers/supplier the manufacturer authorization is required.	chedule and bidders are to nd shall be accepted for esponsive. However, if the
		Guaranteed Technical Particulars (GTP) "is" required.	
22	Guaranteed Technical Particulars	The bid for that item shall be rejected if the GTP is no GTP Forms provided for bidders to fill up. The bidders the GTP forms provided. The catalogue/brochures considered as GTP of the item. Further, if there are disc catalogue/brochures and the offered GTP, then GTP shall be a supplied to the shall be a supplied to the same state.	are required to duly fill up of the items shall not be repancies between the item
23	Technical Requirements.	The minimum technical specification are detailed out u deviation shall be brought out in the GTP forms for the are provided and for the items where GTP forms are shall be brought out in the deviation sheet provided, mentioned in GTP and deviation sheet provided, to considered as complied with the requirement.	ne items where GTP forms not required, the deviation If the deviations are not
24	Evaluation:	To evaluate the offer, the purchaser shall consider the f	ollowing:
		a) Bid will be evaluated on the following basis:	
		Lot Description	Evaluation and
			Award
		Lot No.1 Tools, Safety Equipment, Measuring	
		Equipment and Communication Equipment	Item wise
		As above, bids will be evaluated for each item and the item(s) awarded to the successful bidder. Items with alt rejected and that particular items shall not be considered	ernative item price shall be
		For Item No. 1 (Safety Belt), the bids without the same for further evaluation and shall be rejected for that part	
		b) Price adjustment due to discounts offered if any.	
		c) Price adjustment for correction of arithmetic errors s	hall be carried out (if any)
		The Purchaser shall correct arithmetical errors on the fo	•
		i) If there is a discrepancy between the unit price and t	mowing basis.

Page 6 of 8


Award:

#### 7. Monitoring and Administration:

- 7.1 The respective procuring agency shall be responsible for administration and monitoring of the IP as per the relevant laws.
- 7.2 The bidder shall have the right to appeal as per the arbitration mechanism contained in the relevant rules.

We, hereby declare that we have read and understood the clauses of this agreement and shall abide by it.

The parties hereby sign this Integrity Pact at \_\_\_\_\_\_ on \_\_\_\_



Affix Legal Stamp

BIDDER/REPRESENTATIVE

CID:

Witness:

Name: Mani Kumar Gurung

Name:

CID: 1

2 0 8 0 0 2 1 4 7

CID:


## **VPMS** Acceptance Form

alterations to its format shall be permitted and n	
WHEREAS MESSRS (Insert the name of bidder	
having our registered office at(hereinafter ca	lled "the Bidder") License No.
	has submitted its bid dated
We hereby agree to abide by the Vendor Perform affirm as follows.	nance Management System of BPC or do
1. We have read and understood all provisions System (VPMS) and we have no reservation Bidding Documents.	set in the Vendor Performance Management ns to the VPMS document included in the
2. We agree to abide by all the provision of VPN	IS.
3. If our bid is accepted, we agree to be asserted adopted by Bhutan Power Corporation Limited	ssed as per the vendor rating methodology d.
<ol> <li>Depending on our performance, we accept the and any action taken by Bhutan Power Corpor</li> </ol>	e rating of Vendor Performance Index issued ation Limited pursuant to the VPMS.
<ol><li>We shall be liable for any breach of this provisions of VPMS.</li></ol>	undertaking and non- compliance to the
(Signature of Bidder)	(Signature of witness)
Date:	Date:
	Address:
	Contact No.:



		Technical Specification	
Item No.	Item Description	Technical Specification	Brand/preferred Brand/Restricted Brand
-	Line Man Safety Belt	Outer Belt: 45 mm- 50 mm (W) x 1200 mm (L) (Curved), Inner Belt: 100 mm (W) x 700 mm (L) (Curved) with D-ring x 2pcs & V Square ring x 1pc Lanyard: 3-strand Nylon Rope 14mm-16mm dia. x 2000 mm -2500 mm (L) with snap hook and 8-Ring, additional unlocking type retractable lanyard 18 mm (W) x 1300 mm (L) with Snap Hook & Shock Absorber. Weight: 2 -3 kg Application for both work Positioning Suspension & Single-Line Suspension	Required to submit the sample
2	Safety Helmet without Face Protector	Safety Helmet without Face protector, head band circumference: Range from 520 mm Restricted to:  Restricted to:  Restricted to:  Cooper/Salisl brim, Full chin band adjustable knob at the back	Restricted to: Cooper/Salisbury/Sguard/Uve x/Catu
3	GPS Hand Set	Attached as Annexure - 1	
4	IEC Earthing Equipment, 300 series kits-ESTML 300U	IEC Earthing equipment, 300 series kit -ESTML 300.U  IEC Standard earting assemblies for medium voltage overhead lines used on conductor diameters up to 22mm. Kit include 3 automatic clamps, copper cable with PVC or silicon jacket and a cluster plate. Meets IEC 61230 standard.  ESTML 300.U 3EA #ESMTM-LAR7 Automatic clamp. Current capability 6 kA/1s. Diameter 0-22mm. Cable Jacket PVC. Weight 10.5 kg  IEA #ESMTM-JE.M Clamp  IEA #ESATM-JH10 Ground Rod  IEA #ESATM-SP7.U Cluster Plate  IEA # ESATM-CMA AL Storage Reel  Ix15m # ESCTC-16P 16sq.mm Copper PVC Jacket Cable  2x2m # ESCTC-25P 25sq.mm Copper PVC Jacket Cable  2x2m # ESCTC-25P 25sq.mm Copper PVC Jacket Cable  2x2m # ESCTC-25P 25sq.mm Copper PVC Jacket Cable  4EA # ESATT-16-2 Double compression ferrule for 16 sq.mm Cable	

		Technical Specification		
5	Insulated Hand Gloves Low Insulated hand Volatge 1000V thickness: 1.0r	Insulated hand gloves low volatge 1000V. Isolated gauntlets, class :0, average thickness : 1.0mm -1.5mm, Weight: 220-320 g.	Restricted to: Salisbury/sguard/Uvex/ Catu	
9	HV Proimity Alarm Upper Arm Fittings 12 kV, 70cm	High Volatge Proximity Alarm & Personal Saftey Volatge Detector: Distance of starting warning 80 cm from 11kV (6.6kV volatge to earth). Applicable frequecny 50 Hz. Volume 70 db or higher at 1 meter distance, battery life: 50 Hours for continous use; suitable for Arm Fittings or Around Helmets Fittings	Restricted to: Hasegawa/Catu/Salisbury	
7	Phase Sequence Meter CATIII, 600 V	Digital Phase Sequence Meter (40 to 690 V) protection CATIII, 600V	Restricted to: Fluke/Hioki/Kyoritsu	
∞		Aluminium Ladder Extendable 24ft, Telescopic ladder folding height 12ft, Spacing Al Ladder Extenable 24 ft between Rung 30cm, Thickness of Aluminum 3mm, Loading 150kg, Net Weight 15-20kg		



Annexure-1 (Techn	ical Specification of Item No. 3 GPS Handset)	
Parameters	offered Specification	
Make and Model		
Phyical Dimension	2.4"x6.3"x1.4" (6.1x16x3.6 cm)	
Weight	230g with battery	
Water Rating	IPX7	
	Rechargeable NiMH pack (included) or 2 AA batteries	
Battery Type	(not included); NiHM or Lithium	
Display Type	transflective, 65K color TFT	
Display Size	1.43"x2.15"x(3.6x5.5cm); 2.6" diag (6.6)	
Display Resolution	160 x 240 pixels	
Battery Life	16 Hrs	
Memory/History	4 GB	
High-Sensitivity Recievier	Yes	
Interface	High Speed USB and NMEA 0183 Compatible	
GPS should support	GPS/GLONASS with built in sensors	
Maps and Memory	or o	
Base Maps	Yes	
Ability to add maps	Yes	
Accept data cards	Micro SDTM Card (Not included)	
Customs POI (ability to add	Micro SD TW Card (Not included)	
additional points of interest)	Yes	
Waypoints/favourites/lactons	5000	
Routes	200	
Tracks log	1000 Points, 200 Saved Tracks	
Sensors	1000 I Ollits, 200 Saved Hacks	
Barometric Altimeter	Yes	
Compass	Yes (tilt- compensated 3-axis)	
Chartplotter Features	1 es (tht- compensated 3-axis)	
Area Calculation	Yes	
Automatic Routine (turn by turn		
routing on roads)	Yes (with optional mapping for detailed roads)	
Geocaching-Friendly	Yes (Paperless)	
Custom Maps Compatible	Yes	
Hunts/Fish Calender	Yes	
Sun and Moon information	Yes	
Camera	Yes (8 Mega Pixel with auto focus; automatic geotagging)	
Picture Viewer	Yes	
Connection compatible (Online		
community where you analyse,	Yes	
categories and share data)		
- and bride data)		



	GTP for Bidders to Fill Up	
	Item No. 3 GPS Handset	
	Parameters	Offered Specification
	Make and Model	•
	Phyical Dimension	
	Weight	
	Water Rating	
	Battery Type	
	Display Type	
	Display Size	10 M
	Display Resolution	The second secon
	Battery Life	
	Memory/History	
	High-Sensitivity Recievier	
	Interface	
	GPS should support	
	Maps and Memory	
	Base Maps	
	Ability to add maps	
	Accept data cards	
	Customs POI (ability to add additional	
<b>GPS Handset</b>	points of interest)	
	Waypoints/favourites/lactons	
	Routes	
	Tracks log	
	Sensors	
	Barometric Altimeter	
	Compass	
	Chartplotter Features	
	Area Calculation	
	Automatic Routine (turn by turn routing on	
	roads)	
	Geocaching-Friendly	
	Custom Maps Compatible	
	Hunts/Fish Calender	
	Sun and Moon information	
	Camera	
	Picture Viewer	
·	Connection compatible (Online	
	community where you analyse, categories	
	and share data)	



	Item No. 7 GTP for Digital Phase Sequecne Meter				
Sl.No	Parameters	Bidders to Fill Up			
1	Applicable Standard				
2	Measurement Range				
3	Frequency				
4	Protection				
5	Accessories				



Item Description  UoM  Qty  Technical Specification  Outer Belt: 45 mm- 50 mm (W) x 1200 mm (L) (Curved), Inner Belt: 100 mm (W) x 700 mm (L) (Curved) with D-ring x 2pcs & V Square ring x 1pc Lanyard: 3-strand Nylon Rope 14mm-16mm dia. x	UoM Qty  Technical Specification  Brand/preferred  Brand/Restricted Brand  Outer Belt: 45 mm- 50 mm (W) x 1200 mm (L)  (Curved), Inner Belt: 100 mm (W) x 700 mm (L)  (Curved) with D-ring x 2pcs & V Square ring x 1pc  Lanyard: 3-strand Nylon Rope 14mm-16mm dia. x		Item No.		1 Line	l Line 2 Safe 2 face		
<b>Qty</b>	Outer Belt: 45 mm- 50 mm (W) x 1200 mm (L) (Curved), Inner Belt: 100 mm (W) x 700 mm (L) (Curved) with D-ring x 2pcs & V Square ring x 1pc Lanyard: 3-strand Nylon Rope 14mm-16mm dia. x 2000 mm -2500 mm (L) with snap hook and 8-Ring, additional unlocking type retractable lanyard 18 mm (W) x 1300 mm (L) with Snap Hook & Shock Absorber. Weight: 2-3 kg Application for both work Positioning Suspension & Single-Line Suspension  Saftey helmet without face protector, head band circumference: Range from 520 mm to 620 mm Class Battistate.		Item Description	Line man safety Belt		Safety helmet without face protector	Safety helmet without face protector  GPS Hand Set	Safety helmet without face protector  GPS Hand Set IEC Earthing Equipment, 300 series kits-ESTML 300U
PRICE SCHEDULE  Technical Specification  Outer Belt: 45 mm- 50 mm (W) x 1200 mm (L) (Curved), Inner Belt: 100 mm (W) x 700 mm (L) (Curved) with D-ring x 2pcs & V Square ring x 1pc Lanyard: 3-strand Nylon Rope 14mm-16mm dia. x 2000 mm -2500 mm (L) with snap hook and 8-Ring, additional unlocking type retractable lanyard 18 mm (W) x 1300 mm (L) with Snap Hook & Shock Absorber. Weight: 2 -3 kg Application for both work Positioning Suspension & Single-Line Suspension  Saftey helmet without face protector, head band circumference: Range from 520 mm to 620 mm, Class E with BPC Logo on the front, white colour, Type 1: helmet full brim, Full chin band adjustable knob at the back	PRICE SCHEDULE  Brand/preferred  Brand/Restricted Brand  Outer Belt: 45 mm- 50 mm (W) x 1200 mm (L)  (Curved), Inner Belt: 100 mm (W) x 700 mm (L)  (Curved) with D-ring x 2pcs & V Square ring x 1pc  Lanyard: 3-strand Nylon Rope 14mm-16mm dia. x 2000 mm -2500 mm (L) with snap hook and 8-Ring, additional unlocking type retractable lanyard 18 mm  (W) x 1300 mm (L) with Snap Hook & Shock  Absorber. Weight: 2-3 kg Application for both work  Positioning Suspension & Single-Line Suspension  Saftey helmet without face protector, head band circumference: Range from 520 mm to 620 mm, Class  E with BPC Logo on the front, white colour, Type 1: helmet full brim, Full chin band adjustable knob at the back  Brand/Restricted Brand		UoM	N <sub>6</sub> .	No.		No.	No. Sets
	Brand/preferred Brand/Restricted Brand  mm (W) x 1200 mm (L) 0 mm (W) x 700 mm (L) 2pcs & V Square ring x 1pc Rope 14mm-16mm dia. x with snap hook and 8-Ring, e retractable lanyard 18 mm Snap Hook & Shock g Application for both work & Single-Line Suspension  ce protector, head band om 520 mm to 620 mm, Class front, white colour, Type 1: in band adjustable knob at the  Brand/Restricted Brand Brand/Restricted br		Qty			5	34	
	//preferred stricted Brand oc. sbury/sguard/	PRICE SCHEDULE	Technical Specification	Outer Belt: 45 mm- 50 mm (W) x 1200 mm (L) (Curved), Inner Belt: 100 mm (W) x 700 mm (L) (Curved) with D-ring x 2pcs & V Square ring x 1pc Lanyard: 3-strand Nylon Rope 14mm-16mm dia. x 2000 mm -2500 mm (L) with snap hook and 8-Ring, additional unlocking type retractable lanyard 18 mm (W) x 1300 mm (L) with Snap Hook & Shock Absorber. Weight: 2 -3 kg Application for both work Positioning Suspension & Single-Line Suspension		Attached as Annexure - 1	Refer Technical Specification	Insulated hand playes low volatoe 1000V Isolated
Country of origin and Brand			Unit Price DDP (Nu.)					
and and	Unit Price DDP (Nu.)		Total Price DDP (Nu.)					



				PRICE SCHEDULE		
Item No.	Item Description	UoM Qty	Qty	Technical Specification	Brand/preferred Brand/Restricted Brand Brand	Country of origin and Brand
6	HV Proimity Alarm Upper Arm Fittings 12 kV, 70 cm	Sets	59	High Volatge Proximity Alarm & Personal Saftey Volatge Detector: Distance of starting warning 80 cm from 11kV (6.6kV volatge to earth). Applicable frequency 50 Hz. Volume 70 db or higher at 1 meter distance, battery life: 50 Hours for continous use; suitable for Arm Fittings or Around Helmets Fittings	Restricted to: Hasegawa/Catu/ Salisbury	
7	Phase Sequence Meter CATIII,600 V	Sets	6	Digital phase sequence meter (40 to 690v) protection CATIII, 1	Restricted to: Fluke/Hioki/Kyoritsu	tsu
∞	Al. Ladder Extenable 24ft No.	Š.	5	Aluminium Ladder Extendable: 24ft; Telescopic ladder folding height:12ft; Spacing between Rung: 30cm; Thickness of Aluminum: 3mm; Loading: 150kg; Net Weight: 15-20kg		

